L Number	Hits	Search Text	DB	Time stamp
1	2	5638005.pn.	USPAT;	2003/12/03
			US-PGPUB;	15:50
·			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	2	5270643.pn.	USPAT;	2003/12/03
			US-PGPUB;	15:51
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
3	2	5905577.pn.	USPAT;	2003/12/03
			US-PGPUB;	15:53
			EPO; JPO;	
			DERWENT;	
	_	•	IBM_TDB	
4	2	6496261.pn.	USPAT;	2003/12/03
		•	US-PGPUB;	15:54
			EPO; JPO;	
			DERWENT;	
_			IBM_TDB	
5	247	(laser adj pulse) and (sampl\$4 same	USPAT;	2003/12/03
		voltage) and switch and interval	US-PGPUB;	16:18
			EPO; JPO;	
			DERWENT;	
	4 4 5 4 5 4		IBM_TDB	0000/40/00
6	107873	(324/\$.ccls.)	USPAT;	2003/12/03
			US-PGPUB;	16:18
			EPO; JPO;	
			DERWENT;	
_	0240	//204/4 7 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	IBM_TDB	
7	2349	((324/\$.ccls.)) and (sampl\$4 same	USPAT;	2003/12/03
		voltage) and interval	US-PGPUB;	16:19
			EPO; JPO;	
			DERWENT;	
8	713	(((324/\$.ccls.)) and (sampl\$4 same	IBM_TDB USPAT;	2003/12/03
O	/13	voltage) and interval) and current and	US-PGPUB;	16:19
		voltage; and interval; and current and conductor	EPO; JPO;	10.19
		Collade Cot	DERWENT;	
			IBM TDB	
9 .	502	((((324/\$.ccls.)) and (sampl\$4 same	USPAT;	2003/12/03
٠ .	302	voltage) and interval) and current and	US-PGPUB;	16:20
		conductor) and switch	EPO; JPO;	10.20
		CONQUETOR AND SWITCH	DERWENT;	
			IBM TDB	
10	70	(((((324/\$.ccls.)) and (sampl\$4 same	USPAT;	2003/12/03
10	,0	voltage) and interval) and current and	US-PGPUB;	16:20
		conductor) and switch) and (sampling adj4	EPO; JPO;	-: · · · · ·
		interval)	DERWENT;	
		Intolval	IBM TDB	